

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

RAMPAGE[®]
RAT AND MOUSE BAIT

**Controls Species
Resistant to
Anticoagulants**

ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL

**Approved for
Perimeter
Fence Lines**

For control of rats and mice, including anticoagulant resistant species,
in and around domestic, commercial and agricultural buildings.

This product must only be used in lockable tamper-resistant bait stations.



Manufactured By:



Bell
LABORATORIES, INC.

Madison, WI 53704 U.S.A.
www.belllabs.com
MADE IN USA

PRIMARY PACK

CONTAINS 50 x 30 g BAIT SACHETS

SACHETS ARE ILLEGAL TO SELL SEPARATELY.

DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

NET 1.5 kg

Australian Agent:
Bell Australia Pty Ltd.
Ground Floor
430 Little Collins Street
Melbourne VIC 3000

APVMA Approval Number: 48246/63302

6079F-2

DIRECTIONS FOR USE:**RESTRAINTS**

DO NOT exceed 3m between bait stations for mice, or 9m for rats.
DO NOT place bait sachets in the open and must only be used in lockable tamper-resistant bait stations.
DO NOT use this product for the control of protected native rodents, or other native animals.

SITUATION	PEST	RATE	CRITICAL COMMENTS
In and around domestic homes, industrial and commercial buildings, animal houses, farms, wharves, public service buildings, hospitals, inside transport vehicles (including ships), around grain terminals, storage areas and perimeter fence lines. At food facilities, for fenceline use only.	Rats (<i>Rattus rattus</i> , <i>Rattus norvegicus</i>)	2 to 6 bait sachets per bait station every 9 metres	Eliminate, as far as practicable, all alternative food sources. Bait infested area. Place bait sachets in lockable bait stations. Inspect bait stations on a regular basis. Replace eaten baits. If eaten quickly increase number of bait sachets. Continue observation and replenishment until no more bait sachets are taken.
	Mice (<i>Mus musculus</i>)	1 bait sachet per bait station every 3 metres	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

**GENERAL INSTRUCTIONS**

Determine areas where rats and/or mice will most likely find and consume bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or moisture. Replace contaminated or spoiled bait immediately. To maximise the effectiveness of baiting and prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation should occur, repeat treatment. Where a continuous source of reinfestation is present, establish permanent bait stations and replenish bait as needed. Collect and dispose of all dead rodents and unconsumed bait properly.

PRECAUTION

This product is only to be utilised by placement in lockable bait stations.
DO NOT open sachets.
DO NOT place baits in areas accessible to children or pets.

6079B-2

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

RAMPAGE®

RAT AND MOUSE BAIT

ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL

For control of rats and mice, including anti-coagulant resistant species, in and around domestic, commercial and agricultural buildings.

This product must only be used in lockable tamper-resistant bait stations.

**PRIMARY PACK
CONTAINS 50 x 30 g BAIT SACHETS**

**SACHETS ARE ILLEGAL TO SELL SEPARATELY.
DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.**

NET 1.5 kg



Bell
LABORATORIES, INC.
Madison, WI 53704 U.S.A.
www.bellabs.com
MADE IN USA

**Australian Agent:
Bell Australia Pty Ltd.
Ground Floor
430 Little Collins Street
Melbourne VIC 3000**

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate dams, rivers or streams with the chemical or used container.
DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food.

Place baits in locations which are inaccessible to other animals. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

STORAGE AND DISPOSAL

Store in the closed, original container in a well ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Store in a locked room or place away from children, animals, food and feedstuffs, seed and fertilizers. Do not dispose of chemicals on site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

FIRST AID

If poisoning occurs, get to a doctor or hospital quickly.

SDS

For further information please refer to the Safety Data Sheet which can be obtained from the supplier.

In a transport emergency dial 000, Police or Fire Brigade.

For specialist advice in an emergency only, call (02) 9037 2994 (24 h).

CONDITIONS OF SALE

The use of Rampage® Rat and Mouse Bait is beyond the control of the manufacturer therefore no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose nor can Bell Laboratories, Inc. accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.

APVMA Approval Number: 48246/63302

GHS Hazard and Precautionary Statements

Toxic if swallowed. Causes damage to organs through prolonged or repeated exposure. Toxic in contact with skin. Toxic if inhaled.

Do not breathe dust. Wash contacted areas thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective clothing. IF SWALLOWED immediately call a POISON CENTRE or doctor. Rinse mouth. IF ON SKIN wash with soap and water. Specific treatment - treatment with calcitonin is effective in reducing calcium to normal levels.

Product Code: 991230

032320

Batch No.:

D.O.M.

5.027"
Cut Off

clear



clear

STORAGE AND DISPOSAL

Dispose of empty bait sachet by wrapping in paper, placing in plastic bag and putting in garbage. DO NOT burn empty sachet or product.

FIRST AID

If poisoning occurs, get to a Doctor or hospital quickly.

For further information please refer to the Material Safety Data sheet.

RAMPAGE® Registered Trademark Bell Laboratories, Inc.

APVMA Approval Number: 48246/63302

> 2025-2

DANGEROUS POISON

KEEP OUT OF REACH OF CHILDREN

RAMPAGE®
RAT AND MOUSE BAIT

ACTIVE CONSTITUENT: 0.75g/kg CHOLECALCIFEROL

For control of rats and mice, including anticoagulant resistant species, in and around domestic, commercial and agricultural buildings.

Before using this product, read directions on outer container. This sachet must be returned to outer pack after use or disposed of as per disposal instructions.

This product must only be used in lockable tamper-resistant bait stations.

Sale of this sachet except in outer container is illegal.

Not to be sold separately.

NET 30 g

Manufactured By:



Madison, WI 53704
www.belllabs.com
MADE IN USA

AUSTRALIAN AGENT:
Bell Australia Pty Ltd.
Ground Floor
430 Little Collins Street
Melbourne VIC 3000

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate dams, rivers or streams with the chemical or used container. DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food.

Place baits in locations which are inaccessible to other animals. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

032320

Clear

Back

Face

Back

Clear

Web Width
5.125"

SPEC

LABEL